

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,214,690 B2
APPLICATION NO. : 10/080503
DATED : May 8, 2007
INVENTOR(S) : Higuchi et al.

Page 1 of 11


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

IN THE TITLE PAGES:


In Item [56] References Cited, in OTHER PUBLICATIONS:
in Venturoli et al., please replace "Prospective" with --Prospective--

IN THE SPECIFICATION:

At column 5, line 20, please replace structure



At column 9, line 34, please replace "A R⁹" with --R⁹--
At column 31, line 56-67, please replace structure



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,214,690 B2
APPLICATION NO. : 10/080503
DATED : May 8, 2007
INVENTOR(S) : Higuchi et al.


Page 2 of 11

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

IN THE CLAIMS:

Please replace Claims 1, 10, 24, 40, 57, and 58 with the following Claims:

1. A compound having the formula:



wherein:

R^1 is selected from the group consisting of hydrogen, F, Cl, Br, I, NO_2 , OR^9 , $\text{NR}^{10}\text{R}^{11}$, $\text{S(O)}_n\text{R}^9$, optionally substituted $\text{C}_1\text{--C}_8$ alkyl, optionally substituted $\text{C}_1\text{--C}_8$ haloalkyl, optionally substituted $\text{C}_1\text{--C}_8$ heteroalkyl, optionally substituted $\text{C}_3\text{--C}_8$ cycloalkyl, optionally substituted aryl, optionally substituted arylalkyl, optionally substituted heteroaryl, optionally substituted $\text{C}_2\text{--C}_8$ alkynyl and optionally substituted $\text{C}_2\text{--C}_8$ alkenyl;

R^2 is selected from the group consisting of hydrogen, F, Cl, Br, I, CF_3 , CF_2Cl , CF_2H , CFH_2 , CF_2OR^9 , CH_2OR^9 , OR^9 , $\text{S(O)}_n\text{R}^9$, $\text{NR}^{10}\text{R}^{11}$, optionally substituted $\text{C}_1\text{--C}_8$ alkyl, optionally substituted $\text{C}_1\text{--C}_8$ haloalkyl, optionally substituted $\text{C}_1\text{--C}_8$ heteroalkyl, optionally substituted $\text{C}_3\text{--C}_8$ cycloalkyl, optionally substituted aryl, optionally substituted arylalkyl, optionally substituted heteroaryl, optionally substituted $\text{C}_2\text{--C}_8$ alkynyl and optionally substituted $\text{C}_2\text{--C}_8$ alkenyl;

R^3 and R^4 each independently is selected from the group consisting of hydrogen, OR^9 , $\text{S(O)}_n\text{R}^9$, $\text{NR}^{10}\text{R}^{11}$, C(Y)OR^{11} , $\text{CNR}^{10}\text{R}^{11}$, optionally substituted $\text{C}_1\text{--C}_8$ alkyl, optionally substituted $\text{C}_1\text{--C}_8$ haloalkyl, optionally substituted $\text{C}_1\text{--C}_8$ heteroalkyl, optionally substituted $\text{C}_3\text{--C}_8$ cycloalkyl, optionally substituted aryl, optionally substituted arylalkyl, optionally substituted heteroaryl, optionally substituted $\text{C}_2\text{--C}_8$ alkynyl and optionally substituted $\text{C}_2\text{--C}_8$ alkenyl;

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,214,690 B2
APPLICATION NO. : 10/080503
DATED : May 8, 2007
INVENTOR(S) : Higuchi et al.

Page 3 of 11

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

R^5 and R^6 each independently is selected from the group consisting of hydrogen, CF_3 , CF_2Cl , CF_2H , CFH_2 , optionally substituted C_1-C_8 alkyl, optionally substituted C_1-C_8 haloalkyl, optionally substituted C_1-C_8 heteroalkyl, optionally substituted C_3-C_8 cycloalkyl, optionally substituted aryl, optionally substituted arylalkyl, optionally substituted heteroaryl, optionally substituted C_2-C_8 alkynyl and optionally substituted C_2-C_8 alkenyl;

R^7 is selected from the group consisting of hydrogen, F, Cl, Br, I, optionally substituted C_1-C_8 alkyl, optionally substituted C_1-C_8 haloalkyl, optionally substituted C_1-C_8 heteroalkyl, optionally substituted aryl, optionally substituted heteroaryl, OR^9 , $S(O)_nR^9$, $NR^{10}R^{11}$, $C(Y)OR^{11}$ and $C(Y)NR^{10}R^{11}$;

R^8 is selected from the group consisting of hydrogen, F, Cl, Br, I, optionally substituted C_1-C_8 alkyl, optionally substituted C_1-C_8 haloalkyl, optionally substituted C_1-C_8 heteroalkyl, optionally substituted aryl, optionally substituted heteroaryl, OR^9 , $S(O)_nR^9$, $NR^{10}R^{11}$, $C(Y)OR^{11}$ and $C(Y)NR^{10}R^{11}$;

R^9 is selected from the group consisting of hydrogen, optionally substituted C_1-C_8 alkyl, optionally substituted C_1-C_8 haloalkyl, optionally substituted C_1-C_8 heteroalkyl, optionally substituted aryl, optionally substituted heteroaryl, and optionally substituted arylalkyl;

R^{10} is selected from the group consisting of hydrogen, optionally substituted C_1-C_8 alkyl, optionally substituted C_1-C_8 haloalkyl, optionally substituted C_1-C_8 heteroalkyl, optionally substituted aryl, optionally substituted heteroaryl, optionally substituted arylalkyl, CO_2R^{12} , $C(O)R^{12}$, SO_2R^{12} and $S(O)R^{12}$;

R^{11} and R^{12} each independently is selected from the group consisting of hydrogen, optionally substituted C_1-C_8 alkyl, optionally substituted C_1-C_8 haloalkyl, optionally substituted C_1-C_8 heteroalkyl, optionally substituted aryl, optionally substituted heteroaryl and optionally substituted arylalkyl;

R^{13} is selected from the group consisting of optionally substituted C_1-C_8 alkyl, optionally substituted C_1-C_8 haloalkyl, optionally substituted C_1-C_8 heteroalkyl, optionally substituted C_2-C_8 alkenyl, optionally substituted C_2-C_8 alkynyl, optionally substituted C_3-C_8 cycloalkyl, optionally substituted aryl, optionally substituted heteroaryl, optionally substituted arylalkyl and optionally substituted heteroarylalkyl;

m is selected from the group consisting of 0, 1 and 2;

n is selected from the group consisting of 0, 1 and 2;

W is selected from the group consisting of NH, $N\{R^{13}\}$, $N\{C(Y)R^{11}\}$ and $N\{SO_2R^{11}\}$;

X is O;

Z is selected from the group consisting of NH, $N\{R^{11}\}$, $N\{C(Y)R^{11}\}$, $N\{SO_2R^{12}\}$ and $N\{S(O)R^{12}\}$; and

Y is O;

and pharmaceutically acceptable salts thereof; wherein:

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,214,690 B2
APPLICATION NO. : 10/080503
DATED : May 8, 2007
INVENTOR(S) : Higuchi et al.

Page 4 of 11

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

the substituents of an optionally substituted group comprise one or more substituents independently selected from among alkyl, alkenyl, alkynyl, heteroalkyl, haloalkyl, haloalkenyl, haloalkynyl, cycloalkyl, aryl, heteroaryl, arylalkyl, heteroarylalkyl, alkoxy, aryloxy, haloalkoxy, amino, alkylamino, dialkylamino, alkylthio, arylthio, heteroarylthio, oxo, carboxyester, carboxamido, acyloxy, hydrogen, F, Cl, Br, I, CN, NO₂, NH₂, N₃, NHCH₃, N(CH₃)₂, SH, SCH₃, OH, OCH₃, OCF₃, CH₃, CF₃, C(O)CH₃, CO₂CH₃, CO₂H, C(O)NH₂, OR⁹, SR⁹, NR¹⁰R¹¹, CF₂CF₃, CH₂CH₂F and CH₂CF₃. *Column 82, lines 6-54, claim 10 should read*

10. The compound of claim 1, wherein:

R¹ is selected from the group consisting of hydrogen, F, Cl, Br, I, NO₂, OR⁹, NR¹⁰R¹¹, S(O)_nR⁹, C₁-C₈ alkyl, C₁-C₈ haloalkyl, C₁-C₈ heteroalkyl, C₃-C₈ cycloalkyl, aryl, arylalkyl, heteroaryl, C₂-C₈ alkynyl and C₂-C₈ alkenyl;

R² is selected from the group consisting of hydrogen, F, Cl, Br, I, CF₃, CF₂Cl, CF₂H, CFH₂, CF₂OR⁹, CH₂OR⁹, OR⁹, S(O)_nR⁹, NR¹⁰R¹¹, C₁-C₈ alkyl, C₁-C₈ haloalkyl, C₁-C₈ heteroalkyl, C₃-C₈ cycloalkyl, aryl, arylalkyl, heteroaryl, C₂-C₈ alkynyl and C₂-C₈ alkenyl;

R³ and R⁴ each independently is selected from the group consisting of hydrogen, OR⁹, S(O)_nR⁹, NR¹⁰R¹¹, C(Y)OR¹¹, C(Y)NR¹⁰R¹¹, C₁-C₈ alkyl, C₁-C₈ haloalkyl, C₁-C₈ heteroalkyl, C₃-C₈ cycloalkyl, aryl, arylalkyl, heteroaryl, C₂-C₈ alkynyl and C₂-C₈ alkenyl;

R⁵ and R⁶ each independently is selected from the group consisting of hydrogen, CF₃, CF₂Cl, CF₂H, CFH₂, C₁-C₈ alkyl, C₁-C₈ haloalkyl, C₁-C₈ heteroalkyl, C₃-C₈ cycloalkyl, aryl, arylalkyl, heteroaryl, C₂-C₈ alkynyl and C₂-C₈ alkenyl;

R⁷ is selected from the group consisting of hydrogen, F, Cl, Br, I, C₁-C₈ alkyl, C₁-C₈ haloalkyl, C₁-C₈ heteroalkyl, aryl, heteroaryl, OR⁹, S(O)_nR⁹, NR¹⁰R¹¹, C(Y)OR¹¹ and C(Y)NR¹⁰R¹¹;

R⁸ is selected from the group consisting of hydrogen, F, Cl, Br, I, C₁-C₈ alkyl, C₁-C₈ haloalkyl, C₁-C₈ heteroalkyl, aryl, heteroaryl, OR⁹, S(O)_nR⁹, NR¹⁰R¹¹, C(Y)OR¹¹ and C(Y)NR¹⁰R¹¹;

R⁹ is selected from the group consisting of hydrogen, C₁-C₈ alkyl, C₁-C₈ haloalkyl, C₁-C₈ heteroalkyl, aryl, heteroaryl and arylalkyl;

R¹⁰ is selected from the group consisting of hydrogen, C₁-C₈ alkyl, C₁-C₈ haloalkyl, C₁-C₈ heteroalkyl, aryl, heteroaryl, arylalkyl, CO₂R¹², C(O)R¹², SO₂R¹² and S(O)R¹²;

R¹¹ and R¹² each independently is selected from the group consisting of hydrogen, C₁-C₈ alkyl, C₁-C₈ haloalkyl, C₁-C₈ heteroalkyl, aryl, heteroaryl, arylalkyl;

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,214,690 B2
 APPLICATION NO. : 10/080503
 DATED : May 8, 2007
 INVENTOR(S) : Higuchi et al.

Page 5 of 11

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

R^{13} is selected from the group consisting of C_1-C_8 alkyl, C_1-C_8 haloalkyl, C_1-C_8 heteroalkyl, C_2-C_8 alkenyl, C_2-C_8 alkynyl, C_3-C_8 cycloalkyl, aryl, heteroaryl, arylalkyl and heteroarylalkyl;

m is selected from the group consisting of 0, 1 and 2;

n is selected from the group consisting of 0, 1 and 2;

W is selected from the group consisting of NH , $N\{R^{13}\}$, $N\{C(Y)R^{11}\}$ and $N\{SO_2R^{11}\}$;

X is O;


Z is selected from the group consisting of NH , $N\{R^{11}\}$, $N\{C(Y)R^{11}\}$, $N\{SO_2R^{12}\}$ and $N\{S(O)R^{12}\}$; and

Y is O;

and pharmaceutically acceptable salts thereof.

24. A compound according to claim 23, wherein R^9 is selected from the group consisting of hydrogen and optionally substituted C_1-C_4 alkyl.

40. A pharmaceutical composition comprising a pharmaceutically acceptable carrier and a compound of formula:



wherein:

R^1 is selected from the group consisting of hydrogen, F, Cl, Br, I, NO_2 , OR^9 , $NR^{10}R^{11}$, $S(O)_nR^9$, optionally substituted C_1-C_8 alkyl, optionally substituted C_1-C_8 haloalkyl, optionally substituted C_1-C_8 heteroalkyl, optionally substituted C_3-C_8 cycloalkyl, optionally substituted aryl, optionally substituted arylalkyl, optionally substituted heteroaryl, optionally substituted C_2-C_8 alkynyl and optionally substituted C_2-C_8 alkenyl;

R^2 is selected from the group consisting of hydrogen, F, Cl, Br, I, CF_3 , CF_2Cl , CF_2H , CFH_2 , CF_2OR^9 , CH_2OR^9 , OR^9 , $S(O)_nR^9$, $NR^{10}R^{11}$, optionally substituted C_1-C_8 alkyl, optionally substituted C_1-C_8 haloalkyl, optionally substituted C_1-C_8 heteroalkyl, optionally substituted C_3-C_8 cycloalkyl, optionally substituted aryl, optionally substituted arylalkyl, optionally substituted heteroaryl, optionally substituted C_2-C_8 alkynyl and optionally substituted C_2-C_8 alkenyl;

Column 85, line 20 thru Column 86, line 64

Claim 40 should read

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,214,690 B2
APPLICATION NO. : 10/080503
DATED : May 8, 2007
INVENTOR(S) : Higuchi et al.

Page 6 of 11

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

R^3 and R^4 each independently is selected from the group consisting of hydrogen, OR^9 , $S(O)_nR^9$, $NR^{10}R^{11}$, $C(Y)OR^{11}$, $C(Y)NR^{10}R^{11}$, optionally substituted C_1-C_8 alkyl, optionally substituted C_1-C_8 haloalkyl, optionally substituted C_1-C_8 heteroalkyl, optionally substituted C_3-C_8 cycloalkyl, optionally substituted aryl, optionally substituted arylalkyl, optionally substituted heteroaryl, optionally substituted C_2-C_8 alkynyl and optionally substituted C_2-C_8 alkenyl;

R^5 and R^6 each independently are selected from the group consisting of hydrogen, CF_3 , CF_2Cl , CF_2H , CFH_2 , optionally substituted C_1-C_8 alkyl, optionally substituted C_1-C_8 haloalkyl, optionally substituted C_1-C_8 heteroalkyl, optionally substituted C_3-C_8 cycloalkyl, optionally substituted aryl, optionally substituted arylalkyl, optionally substituted heteroaryl, optionally substituted C_2-C_8 alkynyl and optionally substituted C_2-C_8 alkenyl;

R^7 is selected from the group consisting of hydrogen, F, Cl, Br, I, optionally substituted C_1-C_8 alkyl, optionally substituted C_1-C_8 haloalkyl, optionally substituted C_1-C_8 heteroalkyl, optionally substituted aryl, optionally substituted heteroaryl, OR^9 , $S(O)_nR^9$, $NR^{10}R^{11}$, $C(Y)OR^{11}$ and $C(Y)NR^{10}R^{11}$;

R^8 is selected from the group consisting of hydrogen, F, Cl, Br, I, optionally substituted C_1-C_8 alkyl, optionally substituted C_1-C_8 haloalkyl, optionally substituted C_1-C_8 heteroalkyl, optionally substituted aryl, optionally substituted heteroaryl, OR^9 , $S(O)_nR^9$, $NR^{10}R^{11}$, $C(Y)OR^{11}$ and $C(Y)NR^{10}R^{11}$;

R^9 is selected from the group consisting of hydrogen, optionally substituted C_1-C_8 alkyl, optionally substituted C_1-C_8 haloalkyl, optionally substituted C_1-C_8 heteroalkyl, optionally substituted aryl, optionally substituted heteroaryl and optionally substituted arylalkyl;

R^{10} is selected from the group consisting of hydrogen, optionally substituted C_1-C_8 alkyl, optionally substituted C_1-C_8 haloalkyl, optionally substituted C_1-C_8 heteroalkyl, optionally substituted aryl, optionally substituted heteroaryl, optionally substituted arylalkyl, CO_2R^{12} , $C(O)R^{12}$, SO_2R^{12} and $S(O)R^{12}$;

R^{11} and R^{12} each independently is selected from the group consisting of hydrogen, optionally substituted C_1-C_8 alkyl, optionally substituted C_1-C_8 haloalkyl, optionally substituted C_1-C_8 heteroalkyl, optionally substituted aryl, optionally substituted heteroaryl and optionally substituted arylalkyl;

R^{13} is selected from the group consisting of optionally substituted C_1-C_8 alkyl, optionally substituted C_1-C_8 haloalkyl, optionally substituted C_1-C_8 heteroalkyl, optionally substituted C_2-C_8 alkenyl, optionally substituted C_2-C_8 alkynyl, optionally substituted C_3-C_8 cycloalkyl, optionally substituted aryl, optionally substituted heteroaryl, optionally substituted arylalkyl and optionally substituted heteroarylalkyl;

m is 1;

n is selected from the group consisting of 0, 1 and 2;

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,214,690 B2
APPLICATION NO. : 10/080503
DATED : May 8, 2007
INVENTOR(S) : Higuchi et al.

Page 7 of 11

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

W is selected from the group consisting of NH, N{R¹³}, N{C(Y)R¹¹} and N{SO₂R¹¹};

X is O;

Z is selected from the group consisting of NH, N{R¹¹}, N{C(Y)R¹¹}, N{SO₂R¹²} and N{S(O)R¹²}; and

Y is O;

and pharmaceutically acceptable salts thereof; wherein:

the substituents of an optionally substituted group comprise one or more substituents independently selected from among alkyl, alkenyl, alkynyl, heteroalkyl, haloalkyl, haloalkenyl, haloalkynyl, cycloalkyl, aryl, heteroaryl, arylalkyl, heteroarylalkyl, alkoxy, aryloxy, haloalkoxy, amino, alkylamino, dialkylamino, alkylthio, arylthio, heteroarylthio, oxo, carboxyester, carboxamido, acyloxy, hydrogen, F, Cl, Br, I, CN, NO₂, NH₂, N₃, NHCH₃, N(CH₃)₂, SH, SCH₃, OH, OCH₃, OCF₃, CH₃, CF₃, C(O)CH₃, CO₂CH₃, CO₂H, C(O)NH₂, OR⁹, SR⁹, NR¹⁰R¹¹, CF₂CF₃, CH₂CH₂F and CH₂CF₃. *Column 84, line 27 thru Column 90, line 35, Claim 57 should read*
57. A compound selected from the group consisting of:

(3R)-2,3,4,7-Tetrahydro-3-methyl-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]-quinolin-8-one;
(3R)-2,3,4,7-Tetrahydro-3,4-dimethyl-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]-quinolin-8-one;
(3R)-4-Ethyl-2,3,4,7-tetrahydro-3-methyl-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]-quinolin-8-one;
(3R)-2,3,4,7-Tetrahydro-3-methyl-4-(2,2,2-trifluoroethyl)-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(3R)-2,3,4,7-Tetrahydro-3-methyl-4-propyl-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]-quinolin-8-one;
(3R)-4-Allyl-2,3,4,7-tetrahydro-3-methyl-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]-quinolin-8-one;
(3R)-3-Ethyl-2,3,4,7-tetrahydro-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(3R)-3-Ethyl-2,3,4,7-tetrahydro-4-methyl-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]-quinolin-8-one;
(3R)-3,4-Diethyl-2,3,4,7-tetrahydro-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]-quinolin-8-one;
(3R)-3-Ethyl-2,3,4,7-tetrahydro-4-(2,2,2-trifluoroethyl)-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(3R)-4-(2-Chloro-2,2-difluoroethyl)-3-ethyl-2,3,4,7-tetrahydro-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,214,690 B2
APPLICATION NO. : 10/080503
DATED : May 8, 2007
INVENTOR(S) : Higuchi et al.

Page 8 of 11

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

(3R)-4-(2,2-Difluoroethyl)-3-ethyl-2,3,4,7-tetrahydro-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(3R)-3-Ethyl-2,3,4,7-tetrahydro-4-propyl-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(3R)-4-Allyl-3-ethyl-2,3,4,7-tetrahydro-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(3R)-3-Ethyl-2,3,4,7-tetrahydro-4-isobutyl-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(3R/S)-2,3,4,7-Tetrahydro-3-propyl-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(3R/S)-2,3,4,7-Tetrahydro-4-methyl-3-propyl-10-(trifluoromethyl)-8H[1,4]oxazino-[2,3-f]quinolin-8-one;
(3R/S)-4-Ethyl-2,3,4,7-tetrahydro-3-propyl-4-(2,2,2-trifluoroethyl)-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(3R/S)-2,3,4,7-Tetrahydro-3-propyl-4-(2,2,2-trifluoroethyl)-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(3R)-2,3,4,7-Tetrahydro-3-isopropyl-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(3R)-2,3,4,7-Tetrahydro-3-isopropyl-4-methyl-10-(trifluoromethyl)-8H-[1,4]oxazino-[2,3-f]quinolin-8-one;
(3R)-4-Ethyl-2,3,4,7-tetrahydro-3-isopropyl-10-(trifluoromethyl)-8H-[1,4]oxazino-[2,3-f]quinolin-8-one;
(3R)-2,3,4,7-Tetrahydro-3-isopropyl-4-(2,2,2-trifluoroethyl)-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(3R)-4-(2-Chloro-2,2-difluoroethyl)-2,3,4,7-tetrahydro-3-isopropyl-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(3R)-4-(2,2-Difluoroethyl)-2,3,4,7-tetrahydro-3-isopropyl-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(3R)-4-Allyl-2,3,4,7-tetrahydro-3-isopropyl-10-(trifluoromethyl)-8H-[1,4]oxazino-[2,3-f]quinolin-8-one;
(3R)-2,3,4,7-Tetrahydro-3-phenyl-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(3R)-2,3,4,7-Tetrahydro-3-phenyl-4-(2,2,2-trifluoroethyl)-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(3R)-4-Cyclopropylmethyl-2,3,4,7-tetrahydro-3-phenyl-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(3R)-3-Benzyl-2,3,4,7-tetrahydro-4-(2,2,2-trifluoroethyl)-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,214,690 B2
APPLICATION NO. : 10/080503
DATED : May 8, 2007
INVENTOR(S) : Higuchi et al.

Page 9 of 11

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

2,3,4,7-Tetrahydro-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
2,3,4,7-tetrahydro-4-(2,2,2-trifluoroethyl)-10-(trifluoromethyl)-8H-[1,4]oxazino
[2,3-f]quinolin-8-one;
(7aR,10aS)-7,7a,8,9,10,10a-Hexahydro-1-(trifluoromethyl)
-7-(2,2,2-trifluoroethyl)-4H-cyclopenta[5,6][1,4]oxazino[2,3-f]quinolin-3-one;
(7aR,10aS)-7-Ethyl-7,7a,8,9,10,10a-hexahydro-1-(trifluoromethyl)
-4H-cyclopenta-[5,6][1,4]oxazino[2,3-f]quinolin-3-one;
(7aR,10aS)-7,7a,8,9,10,10a-Hexahydro-3-isopropoxy-1-(trifluoromethyl)
-7-(2,2,2-trifluoroethyl)-4H-cyclopenta[5,6][1,4]oxazino[2,3-f]quinolin-3-one;
(±)-(2S,3R)-2,3,4,7-Tetrahydro-2,3-dimethyl-4-(2,2,2-trifluoroethyl)
-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(6aR)-6a,7,8,9-Tetrahydro-4-(trifluoromethyl)-1H,6H-pyrrolo[1',2':4,5][1,4]
-oxazino[2,3-f]quinolin-2-one;
2,3,4,7-Tetrahydro-2,2,4-trimethyl-10-(trifluoromethyl)-8H-[1,4]oxazino
[2,3-f]-quinolin-8-one;
(3R)-8-Chloro-3-ethyl-3,4-dihydro-8-isopropoxy-4-(2,2,2-trifluoroethyl)
-10-(trifluoromethyl)-2H-[1,4]oxazino[2,3-f]quinoline;
(3R)-3-Ethyl-3,4-dihydro-8-isopropoxy-8-methoxy-4-(2,2,2-trifluoroethyl)
-10-(trifluoromethyl)-2H-[1,4]oxazino[2,3-f]quinoline;
(±)-2,3,4,7-Tetrahydro-4-(2,2,2-trifluoroethyl)-3,10-bis(trifluoromethyl)
-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(-)-2,3,4,7-Tetrahydro-4-(2,2,2-trifluoroethyl)-3,10-bis(trifluoromethyl)
-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(+)-2,3,4,7-Tetrahydro-4-(2,2,2-trifluoroethyl)-3,10-bis(trifluoromethyl)
-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(±)-2,3,4,7-Tetrahydro-3-(2,2,2-trifluoroethyl)-10-(trifluoromethyl)-8H-[1,4]
oxazino[2,3-f]quinolin-8-one;
(±)-2,3,4,7-Tetrahydro-4-methyl-3-(2,2,2-trifluoroethyl)-10-(trifluoromethyl)
-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(±)-4-Ethyl-2,3,4,7-tetrahydro-3-(2,2,2-trifluoroethyl)-10-(trifluoromethyl)
-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(±)-2,3,4,7-Tetrahydro-3,4-bis(2,2,2-trifluoroethyl)-10-(trifluoromethyl)
-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(-)-2,3,4,7-Tetrahydro-3,4-bis(2,2,2-trifluoroethyl)-10-(trifluoromethyl)
-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(+)-2,3,4,7-Tetrahydro-3,4-bis(2,2,2-trifluoroethyl)-10-(trifluoromethyl)
-8H-[1,4]oxazino[2,3-f]quinolin-8-one;

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,214,690 B2
APPLICATION NO. : 10/080503
DATED : May 8, 2007
INVENTOR(S) : Higuchi et al.

Page 10 of 11

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

(±)-4-Cyclopropylmethyl-2,3,4,7-tetrahydro-3-(2,2,2-trifluoroethyl)-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(3R)-4-Cyclopropylmethyl-3-ethyl-2,3,4,7-tetrahydro-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(3R)-4-(2-Chloroethyl)-2,3,4,7-tetrahydro-3-isopropyl-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(±)-2,3,4,7-Tetrahydro-2-methyl-4-(2,2,2-trifluoroethyl)-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(3R)-3-Ethyl-4-(2-hydroxy-2-methylpropyl)-2,3,4,7-tetrahydro-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one; and
(3R)-2,3,4,7-Tetrahydro-3-isobutyl-4-(2,2,2-trifluoroethyl)-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one; and

pharmaceutically acceptable salts thereof.

58. A compound selected from the group consisting of:

(3R)-2,3,4,7-Tetrahydro-3-methyl-4-(2,2,2-trifluoroethyl)-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(3R)-3-Ethyl-2,3,4,7-tetrahydro-4-(2,2,2-trifluoroethyl)-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(3R)-4-(2-Chloro-2,2-difluoroethyl)-3-ethyl-2,3,4,7-tetrahydro-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(3R)-4-(2,2-Difluoroethyl)-3-ethyl-2,3,4,7-tetrahydro-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(3R)-2,3,4,7-Tetrahydro-3-isopropyl-4-(2,2,2-trifluoroethyl)-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(3R)-4-(2-Chloro-2,2-difluoroethyl)-2,3,4,7-tetrahydro-3-isopropyl-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(3R)-4-(2,2-Difluoroethyl)-2,3,4,7-tetrahydro-3-isopropyl-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(7aR,10aS)-7-Ethyl-7,7a,8,9,10,10a-hexahydro-1-(trifluoromethyl)-4H-cyclopenta[5,6][1,4]oxazino[2,3-f]quinolin-3-one;
(7aR,10aS)-7-7a,8,9,10,10a-Hexahydro-1-(trifluoromethyl)-7-(2,2,2-trifluoroethyl)-4H-cyclopenta[5,6][1,4]oxazino[2,3-f]quinolin-3-one;
(±)-(2S,3R)-2,3,4,7-Tetrahydro-2,3-dimethyl-4-(2,2,2-trifluoroethyl)-10-(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;
(±)-2,3,4,7-Tetrahydro-4-(2,2,2-trifluoroethyl)-3,10-bis(trifluoromethyl)-8H-[1,4]oxazino[2,3-f]quinolin-8-one;

Column 90, line 35
thru Column 92, line 58.
Claim 58
Should read

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,214,690 B2
APPLICATION NO. : 10/080503
DATED : May 8, 2007
INVENTOR(S) : Higuchi et al.

Page 11 of 11

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

(-)-2,3,4,7-Tetrahydro-4-(2,2,2-trifluoroethyl)-3,10-bis(trifluoromethyl)
-8H-[1,4]oxazino[2,3-f]quinolin-8-one; and
(+)-2,3,4,7-Tetrahydro-4-(2,2,2-trifluoroethyl)-3,10-bis(trifluoromethyl)
-8H-[1,4]oxazino[2,3-f]quinolin-one; and
pharmaceutically acceptable salts thereof.

This certificate supersedes certificate of correction
issued June 17, 2008.

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]